

Стеклянные крышки для и морозильных камер ECOFlex Push

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: ria@nt-rt.ru || сайт: <https://remis.nt-rt.ru/>

Glass covers for refrigeration and chest freezers: EcoFlex Push

The advantages at a glance

- Large opening -> Several customers can serve themselves simultaneously
- Modern goods display with a high level of transparency and even refrigeration
- Radiation-reflective hard coating which also prevents condensation from forming



EcoFlex Push - smooth-running with a very large opening

Technical data	
Cabinet type	Floor cabinet, wall cabinet and end cabinet
Cover width	1700 mm - 2300 mm
Cabinet length	1875 mm, 2500 mm, 3750 mm (grid 625 mm)
Panes	4 mm single-pane safety glass
Glass type	Floor cabinet curved, end cabinet flat
Opening dimensions	1200 mm x (350 mm - 450 mm)
Climate class	3L1 (25°C / 60% r.h. / -18°C)
Handrail profiles	All-round aluminium handrail profile H = 65 mm
Colours	Price strip, handle and beading profile RAL 7016
Lighting	LED available in 2 colours: Neutral white and meat colour

* As per DIN EN 23953 and also depending on the refrigeration cabinet type, refrigeration system, and number of times the cabinet is opened etc.



EcoFlex Push

EcoFlex Push: Stable modular glass cover

EcoFlex Push is a modern, stable, highly transparent glass cover for all-round glazing, double-width chest freezers and end and wall cabinets with a vertical slide with

centre bar.

The 4 mm-thick safety glass rules out the risk of injury from glass breakages and the large opening allows several customers to serve themselves simultaneously.

The radiation-reflective hard coating ensures a condensation-free view. The energy savings make this a worthwhile investment which quickly pays for itself.

Glass covers for refrigeration and chest freezers: EcoFlex Push T

The advantages at a glance


- Particularly large opening with rapid access from both sides
- Attractive look, ergonomic and extremely long-lasting
- Vertical slide, promotes sales and uncomplicated




EcoFlex Push T - large opening for access from both sides

Technical data	
Cabinet type	Floor cabinet and end cabinet
Cover width	1800 mm - 2100 mm
Cabinet length	1875 mm, 2500 mm, 3750 mm (grid 625mm)
Panes	4 mm single-pane safety glass
Glass type	Floor cabinet curved, end cabinet flat
Opening dimensions	1200 mm x (500 mm - 600 mm)
Climate class	3L1 (25°C / 60% r.h./-18°C)
Handrail profiles	All-round aluminium handrail profile H = 65 mm
Colours	Price strip, handle and beading profile RAL 7016
Lighting	LED available in 2 colours: Neutral white and meat colour

* As per DIN EN 23953 and also depending on the refrigeration cabinet type, refrigeration system, and number of times the cabinet is opened etc.



EcoFlex Push 3 in head section (optional)



EcoFlex Push in head section (standard)



EcoFlex Push 3 in head section (optional)

EcoFlex Push T: Transparent glass cover for retrofitting single refrigeration islands and chest freezers

EcoFlex Push T is an ergonomic glass cover with a vertical slide.

An attractive and modern look combined with a large opening for access from both sides means uncomplicated use and cleaning and also promotes sales.

EcoFlex Push T is suitable for retro-

fitting single refrigeration islands and chest freezers and, given its high energy savings, pays for itself within a short space of time, making it a truly cost-effective investment.

Glass covers for refrigeration and chest freezers: EcoFlex Push 3

The advantages at a glance

- The largest possible opening in the EcoFlex Push product line thanks to the 3-part pane
- Optional LED lighting on the handrail and centre bar
- Vertical slide, promotes sales and uncomplicated



EcoFlex Push 3 - 3-part pane for the largest possible opening

Technical data	
Cabinet type	Floor cabinet, wall cabinet and end cabinet
Cover width	1700 mm- 2300 mm
Cabinet length	1875 mm, 2500 mm, 3750 mm (grid 625 mm)
Panes	4 mm single-pane safety glass
Glass type	Floor cabinet curved, end cabinet flat
Opening dimensions	1200 mm x 600 mm
Climate class	3L1 (25°C / 60% r.h. / -18°C)
Handrail profiles	All-round aluminium handrail profile H = 65 mm
Colours	Price strip, handle and beading profile RAL 7016
Lighting	LED available in 2 colours: Neutral white and meat colour

* As per DIN EN 23953 and also depending on the refrigeration cabinet type, refrigeration system, and number of times the cabinet is opened etc.



EcoFlex Push 3

EcoFlex Push 3: Retrofittable transparent glass cover with pane divided into 3

EcoFlex Push 3 is a modern and attractive 3-part glass cover with offers a maximum opening and

access to the cabinet from both sides independently.

The vertical opening is easy to use, smooth-running and ensures simple access and user-friendly cleaning.

EcoFlex Push 3 is suitable for retrofitting single and chest freezers and, given its high energy savings, pays for itself within a short space of time.

Glass covers for refrigeration and chest freezers: EcoFlex Push Combi

The advantages at a glance

- Especially narrow frame for sealing the space between the chest and the wall cabinet
- Attractive look, ergonomic and extremely long-lasting
- Vertical slide, promotes sales and uncomplicated



EcoFlex Push Combi - glass cover for combination refrigeration cabinets

Technical data	
Cabinet type	Floor cabinet, wall cabinet and end cabinet
Cover width	800 mm - 1100 mm
Cabinet length	1875 mm, 2500 mm, 3750 mm (grid 625 mm)
Panes	4 mm single-pane safety glass
Glass type	Curved, flat
Opening dimensions	1200 mm x (300 mm - 350 mm)
Climate class	3L1 (25°C / 60 % r.h. / -18°C)
Handrail profiles	All-round aluminium handrail profile H = 65 mm
Colours	Handle and beading profile RAL 7016
Lighting	LED available in 2 colours: Neutral white and meat colour

* As per DIN EN 23953 and also depending on the refrigeration cabinet type, refrigeration system, and number of times the cabinet is opened etc.



EcoFlex Push Combi: Glass cover for combination refrigeration cabinets with vertical slide

EcoFlex Push Combi closes the space between the wall unit and chest of combination cabinets using an

extremely flat frame design.

The vertical panes, available either as a curved or flat version, are smooth-running and easy to use and ensure quick access to products.

EcoFlex Push Combi pays for itself within a short space of time given its high energy savings, making it a truly cost-effective investment.

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: ria@nt-rt.ru || сайт: <https://remis.nt-rt.ru/>